

DIGITAL WALL TILES



SANMARCO

CERAMIC

300 x 600 MM

CATALOGUE 2013

Catelogue 2013

COMPANY PROFILE

ISO 9001 : 2000 Certified Company

Sanmarco Ceramic is pioneer in introducing Eco Friendly Wall Tiles In India.

Eco-Sustainability Design and Innovation are The Core Values Which Sets Sanmarco Ceramic Apart From Competition.

At Sanmarco Ceramic We Ensure you to provide Finest Quality Tiles Using Environmental Friendly Technology and Process. A state of Art Dry Process Technology From Italy Helps Us to Reduce The Environmental Impact in the Extraction Phase Of Raw Material and it Helps Us to Use Recycled Material.

We Assure you That Choosing Sanmarco Ceramic Will your Smartest Decision. Together Lets Step On The Eco - Sustainable Future...





INDEX

<i>Glossy Light & Dark Series</i>04
<i>Matt Light & Dark Series</i>18
<i>Elevation Series</i>32



3001 - L



3001 - HL



3001 - D



3002 - L



3002 - HL



3002 - D



3003 - L



3003 - HL



3003 - D



3004 - L



3004 - HL



3004 - D



3005 - L



3005 - HL



3005 - D





3006 - L



3006 - HL



3006 - D



3007 - L



3007 - HL



3007 - D




3008 - L



3008 - HL



3008 - D



3009 - L



3009 - HL



3009 - D



3010 - L



3010 - HL



3010 - D





3011 - L



3011 - HL




3011 - D



3012 - L



3012 - D



3013 - L



3013 - HL



3013 - D



3014 - L



3014 - HL



3014 - D



3015 - L



3015 - HL



3015 - D





3016 - L



3016 - HL



3016 - D



3017 - L



3017 - HL



3017 - D



3018 - L



3018 - HL



3018 - D



3019 - L



3019 - HL



3019 - D



3020 - L



3020 - HL



3020 - D





3021 - L



3021 - HL



3021 - D



3022 - L



3022 - HL



3022 - D



3023 - L



3023 - HL



3023 - D



3024 - L



3024 - HL



3024 - D



3025 - L



3025 - HLA



3025 - D





3025 - L



3025 - HL B



3025 - D



3026 - L



3026 - HL A



3026 - D



3026 - L



3026 - HL B



3026 - D



3027 - L



3027 - HL




3027 - D



3027 - HL A



3027 - HL B





3028 - L



3028 - HL



3028 - D




3029 - L



3029 - HL A



3029 - D



3029 - L



3029 - HL B



3029 - D





3501 - L



3501 - HL



3501 - D



3502 - L



3502 - HL



3502 - D



3503 - L



3503 - HL



3503 - D




3504 - L



3504 - HL



3504 - D



3505 - L




3505 - HL



3505 - D





3506 - L



3506 - HL



3506 - D



3507 - L



3507 - HL



3507 - D



3508 - L



3508 - HL



3508 - D




3509 - L



3509 - HL



3509 - D



3510 - L



3510 - HL



3510 - D





3511 - L



3511 - HL



3511 - D



3512 - L



3512 - HL



3512 - D




3513 - L



3513 - HL



3513 - D



3514 - L



3514 - HL



3514 - D




3515 - L



3515 - HL



3515 - D





3516 - L



3516 - HL



3516 - D



3517 - L



3517 - HL



3517 - D



3518 - L



3518 - HL



3518 - D




3519 - L



3519 - HL



3519 - D



3521 - L



3521 - HL



3521 - D





3522 - L



3522 - HL



3522 - D



3523 - L



3523 - HL



3523 - D



3524 - L



3524 - HL



3524 - D



3525 - L



3525 - HL



3525 - D



3526 - L



3526 - HL



3526 - D





3527 - L



3527 - HL



3527 - D




3528 - L



3528 - HL



3528 - D



3529 - L



3529 - HL A



3529 - D



3529 - L



3529 - HL B



3529 - D



3530 - L



3530 - HL A



3530 - D





3531 - L



3531 - HL



3531 - D



3532 - L



3532 - HL



3532 - D




3534 - L



3534 - HL A



3534 - HL B



3503 - L



3503 - HL



3503 - D



3504 - L



3504 - HL



3504 - D





EL - 101



EL - 102



EL - 103



EL - 104



EL - 105



EL - 106



EL - 107




EL - 108



EL - 109





Technical Specification

Sr.	Characteristic	Euro Standard EN-159/15 13753	SANMARCO Value
Dimension & Surface Quality			
1	Deviation in Length & width	± 0.2 %	± 0.2 %
2	Deviation in Thickness	± 4.0 %	± 4.0 %
3	Straightness of Sides	± 0.15 %	± 0.15 %
4	Rectangularity	± 0.15 %	± 0.15 %
5	Surface Flatness	± 0.22 %	± 0.22 %
6	Surface Quality	min 95 %	min 95 %
Physical Properties			
1	Water Absorption	≥ 0.10 %	≥ 0.12 % (Max. 18%)
2	Modulus of Rapture	15 N / mm ²	≥ 15 N / mm ²
3	Breaking Strength	500 N	≥ 500 N
4	Scratch (moh's) Hardness	Min 3.	Min 3.
5	Moisture Expansion	0.04 %	< 0.04 %
6	Crazing	4 Cycle	≥ 4 Cycle
Thermal Properties			
1	Thermal Expansion	Max. 9.0X10 'K'	Max. 8.0X10 'K'
2	Thermal Shock	10 Cycle	Min 10 Cycle
Chemical Properties			
1	House hold Chemical	Class AA	Conform
2	Staining Resistance	Class 1	Conform

Packing Details

Size (mm)	No. Of Tiles Per Box	Thikness(mm)	Area Coverage (Sq.m)	Weight Per Box (Kg.)
300 x 600	5 Pic.	10 mm	0.90	15.3

Exclusive application for our all product



Note :

Color Shown are as the limitations of the printing process are allow.
 Prospective customers are advised to inspect a sample of the tile before ordering.
 Every effort has been to ensure the accuracy of the information given.
 However, the company reserves the right to change the specification without prior notice.
 Some times variations in shade or size being to ceramic industry may occur.
 It is suggest to check the tiles before purchase and laying as the company dose not accept responsibility once the tiles are laid.



SANMARCO CERAMIC CO
56, 1st Floor
Shakti Chambers-2,
Near Radhe Hotel,
8-A National Highway,
Morbi-363642(Guj)India.

Fax. +91 - 11 - 47618 118

SANMARCO CERAMIC CO (China)
B1 Ying Ke Yi Jia,
4th Ji Hua Road,
Chancheng District,
Foshan(Guangdong)
China.

Tel. +86 - 757 - 82268911

Fax. +86 - 757 - 82268916